



Photos: Thierry Moreau / Cetetherm

## France – Mauges sur Loire / Congregation of the Sister of Providence

- 4 substations for a monastery, an elderly home and a hotel
- Adapted models for this vaulted boiler room with a very low and tight access
- Heating network powered by a propane boiler







Photos: Alberto Obiol / Cetetherm

#### France – Col St André (Alpes) – Chalet in renovation for luxury lodging

- Hybrid solution: 2 NIBE Heat pumps combined with a Cetetherm Tap water system AquaEfficiency
- Turnkey installation with renewable energy providing centralized heating and hot water for this beautiful chalet which contains several lodgings
- The low return temperature of the AquaEfficiency unit (25-35°C) increases the efficiency of the heat pumps
- Compact installation, easy to implement and without Legionella constraints because the water is stored in a primary tank
- Chalet capacity: 17 guests (7 bathrooms)

![](_page_2_Picture_0.jpeg)

![](_page_2_Picture_1.jpeg)

![](_page_2_Picture_2.jpeg)

![](_page_2_Picture_3.jpeg)

Photos: Alberto Obiol & Matthieu Perrin / Cetetherm

# France – Peisey Nancroix (Alpes) – Chalet

- Hybrid solution: 3 NIBE Heat pumps combined with a Cetetherm Tap water system AquaEfficiency
- Turnkey installation with renewable energy providing centralized heating and hot water
- The low return temperature of the AquaEfficiency unit (25-35°C) increases the efficiency of the heat pumps
- Compact installation, easy to implement and without Legionella constraints because the water is stored in a primary tank

## Cetetherm

# City Tower, Prague Czechia

- 2nd tallest building in the Czech Republic
- 5 skids (hot water), Heating, Ventilation, DHW
- Total capacity 4,000 kW
- 2 pressure zones

![](_page_3_Picture_6.jpeg)

![](_page_3_Picture_7.jpeg)